



## Magnetic filter grids of hard ferrite or NdFeB

**Magnetic filter grids made of NdFeB, round, stainless steel housing 1.4301, for tubular systems, welded version**



Article number	D mm	H mm	Temperature °C	Number of magnetic filter bars	Diameter magnetic filter bars
MS100NdSo00rh00	100	40	80	2	25
MS150NdSo00rh00	150	40	80	3	25
MS200NdSo00rh00	200	40	80	4	25
MS250NdSo00rh00	250	40	80	5	25
MS300NdSo00rh00	300	40	80	6	25
MS350NdSo00rh00	350	40	80	7	25
MS400NdSo00rh00	400	40	80	8	25

### APPLICATION:

Filter systems easily separate iron particles and chips being produced by abrasion or soiling from the material. Filters work reliably and almost wear-free. This extends the useful life of the production line and prevents the risk of expensive maintenance and cleaning work.

### PRODUCT INFORMATION:

The above mentioned filter bars are our standard designs. Here the end pieces are not sealed tight and therefore only suitable for dry applications. The filter systems are welded and not dismountable which helps to avoid losing parts during application and more security in process.

Not available ex stock, manufactured on demand.

Alternative to the standard we also offer individual solutions:

- » Seal-welded model for use in liquids (e.g. water, coolant)
- » High-quality stainless steel enclosure for use in food production
- » Increasing the max. operating temperature up to 350 °C
- » Manufacture of individual, not standardised sizes